













# DRAINMAX

THERMO REACTIVE DRAIN UNBLOCKER

Page 7 of 7  
Issued: 23/08/2019, Revision No: 3  
Regulation (EC) No. 453/2010

67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Regulation EU 453/2010 amending Regulation (EC) No 1907/2006.

## Statutory Instruments

The Chemicals (Hazard information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

## Guidance Notes

Health and Safety Executive Workplace Exposure Limits EH40.

## 15.2 Chemical Safety Assessment

Chemical safety assessments / reports are not required for mixtures.

## 16. OTHER INFORMATION

This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006 (REACH – Registration, Evaluation, Authorisation and Restriction of Chemicals) as amended and Regulation EU 453/2010.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 (CLP):

**Physical hazards:** On basis of test data / Expert judgement  
**Health hazards:** Calculation method  
**Environmental hazards:** Calculation method

Full text of H-statements referred to under Sections 2 and 3

H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.

## Abbreviations and acronyms

CAS: Chemical Abstract Service (division of the American Chemical Society) – Section 3.  
STOT: Single Target Organ Toxicity – Section 11.  
DNEL: Derived No Effect Level – Section 8.  
PNEC: Predicted No Effect Concentration – Section 8.  
TWA: Time Weighted Average – Section 8.  
STEL: Short Term Exposure Limit – Section 8.  
LC50: Lethal Concentration, 50 percent – Section 11/12.  
LD50: Lethal Dose, 50 percent – Section 11.  
PBT: Persistent, Bioaccumulative, Toxic – Section 12.  
VPvB: very Persistent and very Bioaccumulative – Section 12.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall only be used as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]

**MAXAM** 14 Cultins Road, Edinburgh EH11 4DZ, UK  
MAINTAIN, REPAIR & PROTECT T: 0800 0922 923 - F: 0131 477 2112

MAXAM Direct Ltd. utilises a process of continuous product improvement for all of our products. While we do strictly adhere to our products' specifications, we routinely implement product improvements. Therefore, please contact us for our most current product specifications. MAXAM Direct Ltd. warrants the quality of this product when used according to directions. User shall determine suitability of product for use and assumes all risk. The seller will not accept liability for more than product replacement.

T: 0800 0922 923  
E: [info@maxam.co.uk](mailto:info@maxam.co.uk)  
[www.maxam.co.uk](http://www.maxam.co.uk)

